




Kenmore 25 cu. ft. French Door Bottom Freezer Refrigerator



46-71012 – White
46-71013 – Stainless
46-71014 – Bisque
46-71016 – Ultra Satin
46-71019 – Black

- Water filtration system with indicator light
- Multi Air Flow cooling system
- 2 clear humidity-controlled crispers
- Full-width, temperature-controlled gourmet pantry drawer
- 5 glass shelves (4 adjustable, 4 spill-proof, 4 slide-out, 4 split)
- 7 door storage bins (5 adjustable)
- 1 freezer basket, 1 slide out freezer bin
- Geared freezer drawer rail system
- Smooth, contoured doors with hidden hinges and aluminum handles
- ENERGY STAR® qualified
- 35 3/4" W x 69 3/4" H x 34 1/4" D



Selection	
White	46-71012
Stainless	46-71013
Bisque	46-71014
Ultra Satin	46-71016
Black	46-71019
Interior Capacities	
Total Volume (cu. ft.)	25
Refrigerator / Freezer Volume (cu. ft.)	17.5 / 7.5
Refrigerator Features	
Fresh Performance	Multi Air Flow
Total Interior Shelves	5 Glass
Spill-Proof Glass Shelves	4 (4 Slide-Out, Adj., Split)
Full-Width Gourmet Pantry Drawer	Temperature-Controlled
	2 Clear
Fruit / Vegetable Crisper	Humidity-Controlled
Total Door Shelves / Bins	7 (3L, 3R, 1 Dairy)
Adjustable Door Bins	5 (3L, 2R)
Tall Item Retainer	•
Gallon Door Storage	•
Covered Dairy Bin	•
Refrigerator Lights	2
Water Filtration and Dispenser	
Water Filtration System	NSF® Certified.
Water Filter Change Indicator	•
Water Filter Location	Fresh Food Compartment
Water Filter Replacement†	46-9990
Through-the-Door Dispenser	Chilled Water
Crushed / Cubed Ice	Cubed
Dispenser Light	•
Freezer Features	
Drawer / Door Type	Pull-Out
Geared Rail System	•
Factory-Installed Ice Maker	Automatic
Removable Ice Caddy	•
Fast Ice Production*	Ultra Ice®
Freezer Light	1
	1 Basket,
Baskets / Bins	1 Slide-Out Bin
Door Shelves / Baskets / Bins	1 Tilt-Out Basket
Rapid Freeze Area	•
Frost-Free	•
General Features	
Up-Front Temperature Controls	Electronic with Digital Display
Drawer / Bin Color and Accents	Clear / White
Textured Steel Doors and Cabinet	Contoured, Smooth Doors
Color-Matched Cabinet / Hinge (All Colors)	•
Hidden Hinges	•
Door Handle Finish	Aluminum
Door Alarm	•
ENERGY STAR® Qualified	•
Est. Energy Consumption (kWh / yr.)	476
Est. Yearly Operating Cost**	\$49
Volts / Amps	120 / 15
Shipping Weight (Approx. Lbs.)	355
Warranty	
1 Year Limited Warranty – Entire Appliance	Parts & Labor

If used for other than private family purposes, warranty applies for only 90 days.

†Replacement filters available at local Sears stores.

*Increases ice production by 20% in 24 hours

**All energy \$/Yr. figures are calculated at the national average cost of \$0.1065/kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2007 standard. Dollar amounts may differ.



NSF Certified; the NSF (National Sanitation Foundation) is an independent national agency that establishes standards by which water filtration products are manufactured and tested.





Measure Twice...Order Once

Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.
Adjacent Cabinet: _____ "F" + _____ Door Edge = _____ Min. Opening
Adjacent Wall: _____ "F" + _____ Handle = _____ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.
_____ "C" - _____ 24" Cabinet Depth + _____ approx. 2" Electric & Water Connection Clearances = _____ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.

